

# Certificate

## Certified Passive House component

for cool, temperate climate, valid until 31.12.2018

Passive House Institute  
Dr. Wolfgang Feist  
64283 Darmstadt  
GERMANY

Category: **Facade anchor**  
 Manufacturer: **SYSTEPA Pohl GmbH**  
**24558 Henstedt-Ulzburg, GERMANY**  
 Product name: **Systea-Tekofix Wandkonsole**

The following criteria were used in awarding this certificate:

### Efficiency Criterion

In two typical applications\*, the construction fulfills the requirements of

$$\Delta U_{WB} \leq 0.010 \text{ W/(m}^2\text{K)}$$

### Comfort Criterion

The inner surface must be warm enough to prevent mould as well as uncomfortable down-draught and radiation losses.

$$\theta_{i,min} \geq 17^\circ\text{C}$$

### Thermal data of the certified component

Systea-Tekofix Wandkonsole	thermal bridge coefficient $\chi$ [W/K]	minimum inner surface temperature $\theta_{i,min}$ [°C]
Sliding point / fixed point H300	0.0026	19.45
Sliding point / fixed point H200	0.0017	19.46
Sliding point / fixed point H100	0.0009	19.47

\* The criterion has been validated with two representative buildings: a row house and a school building.

